

Your Crawlspace™

YCS WALL ATTACHMENT TAPE

1. PRODUCT AND COMPANY IDENTIFICATION

Product Name:
YCS Wall Attachment Tape

Manufactured By:
Your Crawlspace
1056 Hunley Sullivans Rd.
Awendaw, SC 29429
843-887-3247
YourCrawlspace.com

Emergency Phone Number
Your Crawlspace
843-887-3247
Hours of Operation:
M-F 9:00am - 5:00pm EST

2. HAZARDS IDENTIFICATION

GHS Ratings:

GHS Hazards

H335

May cause respiratory irritation.

GHS Precautions

P103

Read label before use.

P281

Use personal protective equipment as required.

P302+P334

IF ON SKIN: Immerse in cool water/wrap in wet bandages.

P304+P341

IF INHALED: If breathing is difficult, remove victim to fresh air and keep at rest in a position comfortable for breathing.

P308+P313

If exposed or concerned: Get medical advice/attention.

P332+P313

If skin irritation occurs: Get medical advice/attention.

Signal Word:

Acute Toxicity: None

Conditions Aggravated:

Chronic Effects: None known.

3. COMPOSITION INFORMATION ON INGREDIENTS

Unlisted ingredients are not 'hazardous' per the Occupational Safety and Health Administration Hazard Communication Standard (29 CFR 1910.1200) and/or are not found on the Canadian Workplace Hazardous Materials Information System ingredient disclosure list. See Section 8 for exposure limit guidelines.

Hazardous Component(s)	CAS Number	Percentage*
Distillates, petroleum, hydrotreated heavy naphthenic	64742-52-5	

*Exact percentages may vary or are trade secret. Concentration range is provided to assist users in providing appropriate protections.



1056 HUNLEY SULLIVANS RD. AWENDAW, SC 29429
843-887-3247 | YOURCRAWLSPACE.COM

4. FIRST AID MEASURES

Inhalation: Not likely. Move victim to fresh air if needed.

Eye Contact: For material in supplied state - immediately flush eyes with plenty of water for at least 15 minutes occasionally lift eyelids. Call a physician if irritation persists.

Skin Contact: For contact with material as supplied- wash with soap and water.

Ingestion: Not likely in normal use. If swallowed, do not induce vomiting. Give 2 glasses of water (16oz.) and contact a physician.

Notes to Physician: Product in original form should pose no hazard.

5. FIREFIGHTING MEASURES

Flash Point: Not determined

LEL:

UEL:

Flammable Limits: Not established.

Extinguishing Media: Water spray of fog, CO₂, or dry chemical. Unusual Fire and Explosion Hazards:

Material will burn in a fire.

Hazardous Combustion Products: None hazardous. Carbon dioxide, carbon monoxide and various hydrocarbons.

Firefighting: Wear self-contained breathing apparatus.

Fire Equipment: Wear self-contained breathing apparatus. Keep containers cool to prevent rupture.

6. ACCIDENTAL RELEASE PROCEDURES

Spillage: Ensure that all clean-up personnel wear all appropriate protective equipment. Do not allow material to get into sewer or waterway.

Small Spills: Sweep or vacuum materials. Dispose in trash.

Large Spills: Sweep or vacuum materials. Dispose of as nonhazardous waste.

7. HANDLING AND STORAGE

Handling: Routine housekeeping should be in place to assure that material does not accumulate on surfaces. Clean up small spills.

Storage Requirements: Normal storage temperatures in a dry warehouse.

8. EXPOSURE CONTROL AND PERSONAL PROTECTION

Employers should complete an assessment of all workplaces to determine the need for, and selection of, proper exposure controls and protective equipment for each task performed.

Hazardous Component(s)	OSHA	ACGIH	Other
Distillates, petroleum, hydrotreated heavy naphthenic 64742-52-5	Not established	Not established	Not established

Engineering Controls: Ventilation should be sufficient to control airborne levels or fumes. Ventilation: Use in a properly ventilated area.
Administrative Controls: Use good personal hygiene when handling this product. Wash hands after use, before smoking, eating, or using the toilet.

Protective Gear: None should be required in normal use.

9. PHYSICAL AND CHEMICAL PROPERTIES

Properties are supplied for safety, health and environmental considerations and may not fully represent product specifications.

Appearance:	Yellow to amber solid
Specific Gravity:	0.98
Freezing Point:	Not applicable
Boiling Range:	Not determined
Evaporation Rate:	Not determined
Explosive Limit:	Not determined
Grams VOC Less Water:	Not determined
Autoignition Temperature:	Not determined
Odor:	Resinous
Odor Threshold:	Not determined
pH:	Not applicable
Ring & Ball Softening Point:	185°F
Solubility:	Insoluble in water
Flash Point:	Not determined
Flammability:	Not determined
Viscosity:	5,800 – 8,000 cps at 350°F
Partition Coefficient (n-octanol/water):	Not determined
Decomposition Temperature:	Not determined
Vapor Pressure:	Not determined
Vapor Density:	Heavier than air

10. STABILITY AND REACTIVITY

Stability: Stable.

Incompatible Materials:

Hazardous Decomposition Products: Hazardous polymerization will not occur.

11. TOXICOLOGICAL INFORMATION

Toxicity: Information appears only if there are issues that need to be considered. Routes of Entry: Material in furnished state does not pose any hazards.

Target Organs: Exposure to this material may affect the following organs: Skin: Material in furnished state does not pose any hazards.

Eyes: Material in furnished state does not pose any hazards.

Respiratory System: Material in furnished state does not pose any hazards.

Effects of Overexposure:

Carcinogenicity: None

CAS Number	Description	Percentage	Carcinogen Rating
64742-52-5	Distillates, petroleum, hydrotreated heavy naphthenic		Distillates, petroleum, hydrotreated heavy naphthenic: EU REACH: Present (L)

12. ECOLOGICAL INFORMATION

Ecological: Any information available follows.

Hazardous Component(s)	Ecotoxicity
Distillates, petroleum, hydrotreated heavy naphthenic	96 Hr LC50 Oncorhynchus mykiss: >5000 mg/L 48 Hr EC50 Daphnia magna: >1000 mg/L

13. DISPOSAL CONSIDERATIONS

Disposal: Reclaim if feasible. If disposal is required, dispose of material and waste in a sanitary landfill or incinerate in an industrial, commercial, or municipal incinerator.

14. TRANSPORTATION INFORMATION

Transportation Instructions: The transport information provided in this section only applies to the material or formulation itself and is not specific to any package or configuration.

US Department of Transportation (DOT)

Proper shipping name:
Not regulated Hazard class
or division: None
Identification
number:
None Packing
group:
None

International Air Transportation (ICAO/IATA)

Proper shipping name:
Not regulated Hazard class
or division: None
Identification
number:
None Packing
group:
None

15. REGULATORY INFORMATION

The following information is provided based upon the best information at our Disposal.

Country	Regulation	All
	Components Listed Toxic Substances Control Act	
	Yes	

16. OTHER INFORMATION

Hazardous Material Information System (HMIS)

HEALTH	1	HMIS & NFPA Hazard Rating Legend * = Chronic Health Hazard 0 = INSIGNIFICANT 1 = SLIGHT 2 = MODERATE 3 = HIGH
FLAMMABILITY	1	
PHYSICAL HAZARD	0	
PERSONAL PROTECTION	B	

Prepared by: SDS Coordinator

Issue date: 1/24/2019

LIMITED WARRANTY AND TERMS

RS Industrial, Inc. ("RSI") warrants that, for a period of one year (or the period specified on the applicable Technical Data Sheet, whichever is less) from the date of shipment from RSI to the original Purchaser, that this RSI product was manufactured in accordance with RSI's specifications in effect on the date of manufacture. These specifications are available upon request. This Limited Warranty does not cover test data, or any defects, damages or other harms caused to any extent or in any way by failure to follow applicable RSI instructions, if any, or abuse or misuse of the product.

WARRANTIES DISCLAIMED -- THE LIMITED WARRANTY STATED IN THE PARAGRAPH ABOVE IS IN PLACE OF ALL OTHER WARRANTIES, EXPRESSED OR IMPLIED. RSI EXPRESSLY DISCLAIMS ALL OTHER WARRANTIES, INCLUDING WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. ALTHOUGH RSI MAY HAVE SUGGESTED THE PRODUCT OR DEVELOPED THE PRODUCT AT THE PURCHASER'S REQUEST, IT IS THE PURCHASER'S SOLE RESPONSIBILITY TO TEST AND DETERMINE THE SUITABILITY OF THE PRODUCT FOR THE PURCHASER'S INTENDED USE AND PURPOSE, AND PURCHASER ASSUMES ALL RISK AND LIABILITY WHATSOEVER REGARDING SUCH SUITABILITY.

LIMITATIONS OF REMEDIES AND DAMAGES -- FOR ANY VALID CLAIM PRESENTED UNDER THE LIMITED WARRANTY, RSI WILL REPLACE THE PRODUCT, OR AT ITS OPTION, REFUND THE PURCHASE PRICE. THIS REPLACEMENT/REFUND REMEDY IS THE PURCHASER'S SOLE AND EXCLUSIVE REMEDY AGAINST RSI. THE PURCHASER AGREES THAT NO OTHER REMEDY (INCLUDING BUT NOT LIMITED TO LOST PROFITS, LOST SALES, INJURY TO PERSON OR PROPERTY OR ANY OTHER INCIDENTAL OR CONSEQUENTIAL LOSS) SHALL BE AVAILABLE TO PURCHASER FOR CLAIMS ARISING OUT OF ANY USE OF THE PRODUCT REGARDLESS OF THE LEGAL THEORY (CONTRACT, TORT OR OTHER). IN NO EVENT WILL RSI BE OBLIGATED TO PAY DAMAGES TO PURCHASER IN AN AMOUNT EXCEEDING THE PRICE THAT THE PURCHASER PAID FOR THE PRODUCT.

LIMITATION OF ACTIONS AND VENUE -- Any claim made or action commenced by Purchaser under RSI's limited warranty as set forth herein must be brought within one year from the date of shipment from RSI to the original Purchaser. Without limiting the jurisdiction or venue of any other federal or state courts with respect to matters outside the scope of this Limited Warranty, each of the parties irrevocably and unconditionally: (a) agrees that any suit, action or legal proceeding arising out of or relating to the sale to Purchaser of RSI Products may be brought in the courts of record of the State of Georgia in Gwinnett County or the District Court of the United States, Northern District of Georgia; (b) consents to the in personam and in rem jurisdiction of each such court in any such suit, action or proceeding; (c) waives any objection that such party may have to the laying of venue of any such suit, action or proceeding in any of such courts; and (d) waives any objection and agrees that service of process and service of any court paper may be effected on such party either by United States certified mail, return receipt requested, addressed as may be provided under applicable laws or court rules in said state.

CONDITIONAL ACCEPTANCE -- RSI's acceptance of Purchaser's order for this product is expressly conditional on Purchaser's assent to terms and conditions set forth herein.

ADEQUATE TESTS: The information contained in this bulletin we believe is correct to the best of our knowledge and tests. The recommendations and suggestions herein are made without guarantee or representation as to results. We recommend that adequate tests be made in your laboratory or plant to determine if this product meets all of your requirements.